

De Projectinrichter

www.deprojectinrichter.com
088 - 650 12 34

ZA SYSTEM
design Shin & Tomoko Azumi
2003



ZA SYSTEM

A system of curved and linear modular elements that can be repeated infinitely with a “millipede” effect. Featuring a design of great formal simplicity, the metal support allowing the various elements to combine is barely visible.




ZA SYSTEM



ZA SYSTEM


design Shin & tomoko Azumi
2003

This modular system comprises one- and two-seaters benches and a curved element. With a cast aluminium or powder coated frame in white or black, ZA is stackable and comes in several wood finishes or upholstered in soft leather. These units can be easily linked to create flowing lines and circular elements for waiting areas, museums and schools.



test

ANSI/BIFMA X5.4-1997 ANSI/BIFMA X5.4-2005

frame	seating
 shiny aluminium	 blanched oak
 powder coated: black	 oak stained dark-walnut
 powder coated: white	 black open pore
	 white lacquered
	 soft-leather 7 colors

consult the portfolio for the range of colors, soft-leather.

use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spill on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 45°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.