De Projectinrichter
www.deprojectinrichter.com
088 - 650 12 34

Love Sofa

Have you ever fallen in love with a chair or on a sofa? Both experiences are possible, even probable while enjoying a romantic dinner for two in the Love chair or cuddling up with your sweetheart in one of the Love sofas by Marcel Wanders.

Designer	Marcel Wanders
Year of design	2013
Material	Moulded foam with metal frame for durable comfort.

upholstery categories

COF (Client Own Fabric)
Abbracci
Bouclé/Divina Composition (Kvadrat divina 3:
191-black, 0224-brown, 791-blue, 542-orange)
Bouclé
Jacquards
Liscio
Divina 3 & Divina Melange

Summit Uni & Summit Melange
Trickle
Twill & Twill Melange
Velour
Plush
COF (Client Own Fabric)

colours

Wood Stained
Cinnamon

Wood Stained White
Washed

dimensions



Abbracci

composition
100% pl

abrasion
50.000 martindale

lightfastness 4

firetest
FR BS5852 0/1
EN1021 1&2



Abbracci
Black

Abbracci
Brown

Abbracci
Grey

Abbracci
Taupe

Jacquard andaz

composition:
34% cotton - 30% viscose - 24% linen - 12% polyamide

abrasion:
25000 martindale

lightfastness 4-5

firetest:
BS EN 1021 1&2

Jacquard
Andaz

Jaquard Fresco

composition
40% vi ,36% co,14% pl, 10% li

abrasion
20.000> martindale

lightfastness 4-5

firetest
EN1021 1&2

Jaquard
Fresco

Jacquard Old Black & Blue

composition
52% vi, 38% co, 10% li

abrasion
20.000> martindale

lightfastness 4-5

firetest
EN1021 1&2

Jacquard
Old Blue

Jacquard
Old Black

Justo

composition
15% CO, 35% PC, 10% PL, 40% VI

abrasion
50.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

fire test
EN 1021-1/2
US. Cal. Bull. 117-2013
NFPA 260
Upon request, with treatment:
BS5852 part1
BS5852 crib5

Justo
Alge

Justo
Bazalt

Justo
Bred

Justo
Hinde

Justo
Lyse

Justo
Muse

Justo
Sennep

Justo
Sten

Liscio

composition
35% WO / 35% CV / 21% CO/ 9% PA

abrasion
30.000 Martindale

lightfastness
4-6

firetest
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1

Liscio
Grigio Blu Scuro

Liscio
Grigio Blu

Liscio
Grigio Scuro

Liscio
Muscio

Liscio
Argento

Liscio
Nebbia

Liscio
Perla

Liscio
Latte Scuro

Liscio
Latte

Solis

composition
2% PA 3% PC 30% PL 65% WO

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
EN 1021-1/2
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1
BS5852 crib5

Solis
Crust

Solis
Dawn

Solis
Fog

Solis
Paper

Solis
Rain

Solis
Spencer

Solis
Sunset

Summit Melange

composition
20% WO / 5% PA / 15% PES
60% PES filling

abrasion
50.000 martindale

lightfastness 6

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2

Summit Melange
Flour

Summit Melange
Slate

Summit Melange
Dust

Summit Melange
Twig

Summit Melange
Lagoon

Summit Melange
Lavender

Summit UNI

composition
22% wo, 2% pa, 14% pl, 62% pl filling

abrasion
50.000 martindale

lightfastness 5

firetest
EN1021 1&2

Summit UNI
Caviar

Summit UNI
Graphite

Summit UNI
Grass

Summit UNI
Linen

Summit UNI
Natural

Summit UNI
Passion

Trickle

composition
60% WO / 20% PES / 20% PA

abrasion
80.000 martindale

lightfastness 6

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2

Trickle
Flour

Trickle
Twig

Trickle
Peat

Trickle
Slate

Trickle
Chili

Trickle
Lavender

Twill

composition
72% wo, 8% pa, 20% pl

abrasion
75.000 martindale

lightfastness 5

firetest
EN1021 1&2

Twill
Caviar

Twill
Graphite



Twill
Grass

Twill
Linen

Twill
Natural

Twill
Passion

Twill Melange

composition
60% WO / 20% PES / 20% PA

abrasion
80.000 martindale

lightfastness 6-7

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2



Twill Melange
Chili

Twill Melange
Dust

Twill Melange
Flour

Twill Melange
Lavender

Twill Melange
Peat

Twill Melange
Slate

Velour

composition
77% wo, 8% pa, 15% pl

abrasion
100.000 martindale

lightfastness 7

firetest
FR BS5852 0/1
EN1021 1&2

Velour
Coral

Velour
Stone

Velour
Moss

Vesper

composition
10% CO, 40% L, 10% PA, 10% PL, 30% VI

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
EN 1021-1/2
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1
BS5852 crib5

Vesper
Aluminium

Vesper
Brass

Vesper
Bronze

Vesper
Nickel

Vesper
Silver

Vesper
Steel

Plush

composition
85% PC / 15% PL

abrasion
NA

lightfastness NA

firetest
NA

white

Kvadrat Fabrics

Kvadrat Fabrics

Selected Moooi products can be upholstered with a collection of Kvadrat fabrics. Kvadrat designs high-quality upholstery, in an extensive range of colours and textures.

Go to our Kvadrat fabrics page for a full overview of all fabric families you can choose from.

Image not found or type unknown

Dodo Pavone Jacquard

composition
12% CO 88% PL

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1

Extinct Animals
Fabric Collection
Dodo Pavone Jacquard

Bearded Leopard Jacquard

composition
77% VI / 15% PES / 7% CO / 1% PA

abrasion
15.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
EN1021-1/2
Upon request and with treatment:
BS5852 part1

Extinct Animals
Fabric Collection
Bearded Leopard
Jacquard

Blushing Sloth Melange Mohair

composition
29% LANA / 24% LANA WM / 24% PES / 15% PA / 8% CO

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

Extinct Animals
Fabric Collection
Blushing Sloth Melange
Mohair

Blushing Sloth Woolly Mohair

composition
85% WV / 15% WM

abrasion
15.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
EN1021-1/2

BS5852 part1

Extinct Animals
Fabric Collection
Blushing Sloth Woolly
Mohair

Calligraphy Bird Jacquard

composition
64% VI, 21% PES, 15% CO

abrasion
50.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
Upon request, with treatment;
BS5852 part1

Extinct Animals Fabric
Collection
Calligraphy Bird
Jacquard

The Silent Bison Velvet

composition
100% CO

abrasion
30.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

Extinct Animals Fabric
Collection
The Silent Bison Velvet

The Menagerie of Extinct Animals

composition
100% PES

abrasion
50.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
EN1021-1/2
Upon request, with treatment;
BS5852 part1

Extinct Animals Fabric Collection
The Menagerie of Extinct Animals

Love Sofa High Back

Have you ever fallen in love with a chair or on a sofa? Both experiences are possible, even probable while enjoying a romantic dinner for two in the Love chair or cuddling up with your sweetheart in one of the Love sofas by Marcel Wanders.

Designer	Marcel Wanders
Year of design	2014
Material	Moulded foam with metal frame for durable comfort.

colours

Wood Stained
Cinnamon

Wood Stained White
Washed

dimensions



upholstery categories

COF (Client Own Fabric)
Abbracci
Bouclé/Divina Composition (Kvadrat divina 3:
191-black, 0224-brown, 791-blue, 542-orange)
Bouclé
Jacquards
Liscio
Divina 3 & Divina Melange

Summit Uni & Summit Melange
Trickle
Twill & Twill Melange
Velour
Plush
COF (Client Own Fabric)

Abbracci

composition
100% pl

abrasion
50.000 martindale

lightfastness 4

firetest
FR BS5852 0/1
EN1021 1&2



Abbracci
Black



Abbracci
Brown

Abbracci
Grey

Abbracci
Taupe

Bouclé

composition
43% co, 28% pan, 14% pa, 12% vi, 3% pl

abrasion
20.000> martindale

lightfastness 4

firetest
EN1021 1&2

Bouclé
Black white

Bouclé
Rainbow

Bouclé
Brown

Jacquard andaz

composition:
34% cotton - 30% viscose - 24% linen - 12% polyamide

abrasion:
25000 martindale

lightfastness 4-5

firetest:
BS EN 1021 1&2

Jacquard
Andaz

Jaquard Fresco

composition
40% vi ,36% co,14% pl, 10% li

abrasion
20.000> martindale

lightfastness 4-5

firetest
EN1021 1&2

Jaquard
Fresco

Jacquard Old Black & Blue

composition
52% vi, 38% co, 10% li

abrasion
20.000> martindale

lightfastness 4-5

firetest
EN1021 1&2

Jacquard
Old Blue

Jacquard
Old Black

Liscio

composition
35% WO / 35% CV / 21% CO/ 9% PA

abrasion
30.000 Martindale

lightfastness
4-6

firetest
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1

Liscio
Grigio Blu Scuro

Liscio
Grigio Blu

Liscio
Grigio Scuro

Liscio
Muscio

Liscio
Argento

Liscio
Nebbia

Liscio
Perla

Liscio
Latte Scuro

Liscio
Latte

Solis

composition
2% PA 3% PC 30% PL 65% WO

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
EN 1021-1/2
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1
BS5852 crib5

Solis
Crust

Solis
Dawn

Solis
Fog

Solis
Paper

Solis
Rain

Solis
Spencer

Solis
Sunset

Summit Melange

composition
20% WO / 5% PA / 15% PES
60% PES filling

abrasion
50.000 martindale

lightfastness 6

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2

Summit Melange
Flour

Summit Melange
Slate

Summit Melange
Dust

Summit Melange
Twig

Summit Melange
Lagoon

Summit Melange
Lavender

Summit UNI

composition
22% wo, 2% pa, 14% pl, 62% pl filling

abrasion
50.000 martindale

lightfastness 5

firetest
EN1021 1&2

Summit UNI
Caviar

Summit UNI
Graphite

Summit UNI
Grass

Summit UNI
Linen

Summit UNI
Natural

Summit UNI
Passion

Trickle

composition
60% WO / 20% PES / 20% PA

abrasion
80.000 martindale

lightfastness 6

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2

Trickle
Flour

Trickle
Twig

Trickle
Peat

Trickle
Slate

Trickle
Chili

Trickle
Lavender

Twill

composition
72% wo, 8% pa, 20% pl

abrasion
75.000 martindale

lightfastness 5

firetest
EN1021 1&2

Twill
Caviar

Twill
Graphite

Twill
Grass

Twill
Linen

Twill
Natural

Twill
Passion

Twill Melange

composition
60% WO / 20% PES / 20% PA

abrasion
80.000 martindale

lightfastness 6-7

firetest
EN1021-1/2
US. Cal. Bull. 117-2013
BS5852 part1
DIN 4102-B2



Twill Melange
Chili

Twill Melange
Dust

Twill Melange
Flour

Twill Melange
Lavender

Twill Melange
Peat

Twill Melange
Slate

Velour

composition
77% wo, 8% pa, 15% pl

abrasion
100.000 martindale

lightfastness 7

firetest
FR BS5852 0/1
EN1021 1&2

Velour
Coral

Velour
Stone

Velour
Moss

Vesper

composition
10% CO, 40% L, 10% PA, 10% PL, 30% VI

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
EN 1021-1/2
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1
BS5852 crib5

Vesper
Aluminium

Vesper
Brass

Vesper
Bronze

Vesper
Nickel

Vesper
Silver

Vesper
Steel

Plush

composition
85% PC / 15% PL

abrasion
NA

lightfastness NA

firetest
NA

white

Cervino Leather

composition
100% aniline leather
Leather is a natural product, colours may vary from hide to hide.

firetest
EN1021 1&2

Cervino Leather
Anthracite

Cervino Leather
Cognac

Cervino Leather
Mud

Kvadrat Fabrics

Kvadrat Fabrics

Selected Moooi products can be upholstered with a collection of Kvadrat fabrics. Kvadrat designs high-quality upholstery, in an extensive range of colours and textures.

Go to our Kvadrat fabrics page for a full overview of all fabric families you can choose from.

Image not found or type unknown

Dodo Pavone Jacquard

composition
12% CO 88% PL

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 5, EN ISO 105-B02

firetest
US. Cal. Bull. 117-2013
Upon request, with treatment:
BS5852 part1

Extinct Animals
Fabric Collection
Dodo Pavone Jacquard

Bearded Leopard Jacquard

composition
77% VI / 15% PES / 7% CO / 1% PA

abrasion
15.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
EN1021-1/2
Upon request and with treatment:
BS5852 part1

Extinct Animals
Fabric Collection
Bearded Leopard
Jacquard

Blushing Sloth Melange Mohair

composition
29% LANA / 24% LANA WM / 24% PES / 15% PA / 8% CO

abrasion
40.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

Extinct Animals
Fabric Collection
Blushing Sloth Melange
Mohair

Blushing Sloth Woolly Mohair

composition
85% WV / 15% WM

abrasion
15.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
EN1021-1/2

BS5852 part1

Extinct Animals
Fabric Collection
Blushing Sloth Woolly
Mohair

Calligraphy Bird Jacquard

composition
64% VI, 21% PES, 15% CO

abrasion
50.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

firetest
Upon request, with treatment;
BS5852 part1

Extinct Animals Fabric
Collection
Calligraphy Bird
Jacquard

The Silent Bison Velvet

composition
100% CO

abrasion
30.000 Martindale rubs, EN ISO 12947

lightfastness
Note 4-6, EN ISO 105-B02

Extinct Animals Fabric
Collection
The Silent Bison Velvet

mooi

m¢ ~9f ~¨ z¡ ~¬£~9© 9^² ®£¨ | ®9Z¨ £§ z¦-

| ©§ ª ©-£®£©¨
J I I > 9 ^I

z{ ¬z-£©¨
N G I I 9f z-®£ } z¦~9¬¯{-E9^g 9U h 9J KRMP

¦£¦ ¢®z-®¨ ~--Ú
g ©®~9MFOE9^g 9U h 9J I NF[I K

£¬~®~-®
^g J I KJ FJ HK
n ª ©¨ 9¬«¯~-®E9± £¢9®¬z®§ ~¨ ®T
[I NQNK9 z-®]

^² ®£¨ | ®9Z¨ £§ z¦-9_z{ ¬£¦ 9^ ©¦¦~| ®£©¨
m¢ ~9f ~¨ z¡ ~¬£~9© 9^² ®£ | ®9Z¨ £§ z¦-

De Projectinrichter
www.deprojectinrichter.com
088 - 650 12 34